CS 70 Discrete Mathematics and Probability Theory
Spring 2018 Satish Rao and Babak Ayazifar

DIS 6B

1 The Count

- (a) How many permutations of COSTUME contain "COME" as a substring? How about as a subsequence (meaning the letters of "COME" have to appear in that order, but not necessarily next to each other)?
- (b) How many of the first 1000 positive integers are divisible by 2, 3, or 5?
- (c) How many ways are there to choose five nonnegative integers x_0, x_1, x_2, x_3, x_4 such that $x_0 + x_1 + x_2 + x_3 + x_4 = 100$, and $x_i \equiv i \pmod{5}$?
- (d) The Count is trying to choose his new 7-digit phone number. Since he is picky about his numbers, he wants it to have the property that the digits are non-increasing when read from left to right. For example, 9973220 is a valid phone number, but 9876545 is not. How many choices for a new phone number does he have?

2 Charming Star

At the end of each day, students will vote for the most charming student. There are 5 candidates and 100 voters. Each voter can only vote once, and all of their votes weigh the same. A "voting combination" is defined by how many votes each candidate receives. In this question, only the number of votes for each candidate matters; it does not matter which specific people voted for each candidate.

(a) How many possible voting combinations are there for the 5 candidates?

(b) How many possible voting combinations are there such that exactly one candidate gets more than 50 votes?

3 Combinatorial Proof VI

Prove
$$\binom{m+n}{2} = \binom{m}{2} + \binom{n}{2} + mn$$
.